

**ELECTRONICALLY FILED: 01/26/2010**

**PATENT**

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Patent No.: 7,309,774

Serial No.: 10/774,242

Issued: 12/18/2007

Inventor: Patrick A. McKee, Kyung N. Lee, Kenneth L. Jackson, Victoria J. Christiansen

Atty. Docket No.: 5820.646

Customer No.: 30589

**Attn: Certificate of Correction Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450**

**REQUEST FOR THIRD CERTIFICATE OF CORRECTION OF PATENT  
FOR PTO AND/OR APPLICANT'S MISTAKES (37 CFR 1.322(a) and 1.323)**

Enclosed are:

☒ [ X ] sb21 Transmittal Form; and

☒ [ X ] 1 sheet(s) of form sb44 Certificate of Correction.

**[ ] PTO ERRORS**

The exact column and line number where the mistakes occur in the patent as well as reference to the exact page and line number where the correct information occurs in the application file:

☐ [ ] No fee is submitted herewith.

**[ X ] APPLICANT'S ERRORS**

It is noted that errors appear in this patent of a clerical or typographical nature or a minor character as more fully described below. These errors occurred in good faith, and correction thereof does not involve such changes in the patent as would constitute new matter or would require re-examination. Thus, a Certificate of Correction is requested.

The exact column and line number where the mistakes occur in the patent are:

Column 1, lines 14-17: Delete the entirety of the paragraph and replace with

-- This invention was made with government support under Grant No. HL072995 awarded by the National Institutes of Health. The government has certain rights in the invention. --

[ X ] Payment by credit card.

**[ X ] RETURN OF CERTIFICATE**

Please send the Certificate of Correction to the undersigned.

A handwritten signature in black ink, appearing to read "Chris Corbett", is written over a horizontal line.

Christopher W. Corbett, Reg. No. 36,109  
DUNLAP CODDING, P.C.  
P.O. Box 16370  
Oklahoma City, Oklahoma 73113  
Telephone: 405/607-8600  
Facsimile: 405/607-8686

Agent for Applicant